

Model 1011



EMC &amp; LVD

EN: 61326

EN: 61010-1, EN: 61010-02-031



The tester is a designed and very practical tester that can easily read the correct pin configuration of 10 Base -T cable(Category 5), 10 Base-2 cable (coax), RJ45/RJ11 modular cables, 356A, TIA-568A/568B and Token Ring cable by comparing one transmitting end to the corresponding receiving end. With the remote kit it can test cables installed far away either on wall plate or patch panel. It is easy to verify the cable continuity, open, short and cross-connect. It is affordable, so you can benefit the most.

- Test the correct pin configuration of 10 Base-T 10 Base-2 Thin Ethernet cable, RJ45/RJ11 modular cables 356A, TIA-568A/568B and Token Ring cable etc.
- With remote kit it can remotely test cables up to 300 m away either on the wall plate or patch panel.
- Test the ground wire
- Measures DC/AC Voltage, DC/AC Current, Resistance, Continuity & diode

## Specifications

| Function        | Max Range              | Basic Accuracy |
|-----------------|------------------------|----------------|
| Voltage DC      | 600V                   | ±0.5%          |
| Voltage AC      | 600V                   | ±1.2%          |
| Current DC      | 200mA                  | ±1.5%          |
| Current AC      | 200mA                  | ±2.0%          |
| Resistance      | 20MΩ                   | ±0.8%          |
| Continuity Test | Beep if less than 100Ω |                |

**Size(HxWxD):** 162mm x 74.5mm x 44mm

**Weight:** 308g

### Accessories:

9V battery and Two “AAA” batteries, remote terminator, holster, cables, test leads, gift box with carrying case.